


Product data sheet

LIPROTEC PLUG & PLAY LED-MODULE LLPM NW
LLP110AE2
SCHLÜTER-SYSTEMS



Schlüter-LIPROTEC-LLPM are plug-and-play LED modules made of a flexible, fully coated LED tube with homogeneous light distribution and an attachment profile made of anodised aluminium (E6/EV1). The LED modules are available in the colour temperature 4900K. The LED modules can be integrated into a tile covering, using the trapezoid perforated anchoring leg. The profiles are suitable for use in floor areas of residential spaces. Available length: 50 cm 100 cm 200 cm 250 cm Search terms: LIPROTEC, Schlüter, Schlueter, Schluter, LIPROTEC-EASY, LED profile, Bathroom, RGB, RGBW, Tile, Line of light, IP67, Shower, Floor, Fliese

Light output 1 (integrated)



| | | | |
|--------------------|---------|-------------|--------|
| Lamp type | LED | CCT | 4537 K |
| Nominal lamp power | 0.5 W | CRI | 89 |
| Total flux | 27 lm | LOR | 100% |
| Luminous efficacy | 54 lm/W | Total power | 0.5 W |

Mounting mode

Wall recessed, Ceiling recessed, Floor recessed

Shape and measurements

Length: 3.94 in
Width: 0.47 in
Height: 0.43 in

Adjustability

Fixed

Design

Material impression: Aluminum, Plastic
Color of housing: White, Silver gray

Electric

System power: 0.5 W
Voltage: 24 V DC

Protection

IP: 67
Designation labels: CE

Other operating numbers

Ambient temperature range: -4...149°F