


Product data sheet

P.THIRTY SUSP. L-SEG.HOR. WHITE SAT.


P30-HLFH9016C1927L3S

PLANLICHT




LED LO 2700K 11,7W 1521lm DALI CRI90 <https://katalog.planlicht.com/en-gb/search?q=p.thirty&type=1-profile-segment>

Light output 1 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 2 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 3 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 4 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 5 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 6 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 7 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 8 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 9 (integrated)



Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Light output 10 (integrated)



Lamp type	LED	CCT	2700 K
Nominal lamp power	1.17 W	CRI	90
Total flux	152 lm	LOR	100%
Luminous efficacy	130 lm/W	Total power	1.17 W

Mounting mode

Pendant

Shape and measurements

Length: 11.54 in

Width: 25.31 in

Height: 1.38 in

Adjustability

Fixed

Electric

System power: 11.7 W

Protection

IP: 20

Designation labels: CE