

Product data sheet


NOMAD 4X GU10
1020220X
MODULAR



IP
20


Timeless passe-partout Nomad is a classic. This refined, industrial fitting with its visible wiring is perfect for highlighting your favourite elements in your interior. The family comprises a wide range of lighting solutions. For example, the flexible arm allows Nomad to travel a certain distance.

Light output 1



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	350 lm	LOR	100%
Luminous efficacy	64 lm/W	Total flux	350 lm
CCT	2700 K	Total power	5.5 W
CRI	80		



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	389 lm	LOR	100%
Luminous efficacy	71 lm/W	Total flux	389 lm
CCT	2700 K	Total power	5.5 W
CRI	80		

Light output 2



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	350 lm	LOR	100%
Luminous efficacy	64 lm/W	Total flux	350 lm
CCT	2700 K	Total power	5.5 W
CRI	80		



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	389 lm	LOR	100%
Luminous efficacy	71 lm/W	Total flux	389 lm
CCT	2700 K	Total power	5.5 W
CRI	80		

Light output 3



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	350 lm	LOR	100%
Luminous efficacy	64 lm/W	Total flux	350 lm
CCT	2700 K	Total power	5.5 W
CRI	80		



1 x LED


Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	389 lm	LOR	100%
Luminous efficacy	71 lm/W	Total flux	389 lm
CCT	2700 K	Total power	5.5 W
CRI	80		

Light output 4



1 x LED

Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	350 lm	LOR	100%
Luminous efficacy	64 lm/W	Total flux	350 lm
CCT	2700 K	Total power	5.5 W
CRI	80		



1 x LED

Nominal lamp power	5.5 W	Socket	Gu10
Lamp flux	389 lm	LOR	100%
Luminous efficacy	71 lm/W	Total flux	389 lm
CCT	2700 K	Total power	5.5 W
CRI	80		

Mounting mode

Ceiling mounted

Electric

System power: 22 W

Shape and measurements

Length: 11.02 in

Width: 8.07 in

Height: 7.48 in

Weight: 1.02 kg

Adjustability

Tiltable

Protection

IP: 20