



Product data sheet

LIPROTEC PLUG & PLAY LED-MODULE LLPM NW
LLP110V4A2
SCHLÜTER-SYSTEMS



Schlüter-LIPROTEC-LLPM are plug-and-play LED modules made of a flexible, fully coated LED tube with homogeneous light distribution and an attachment profile made of stainless steel (V4A). The LED modules are available in the colour temperature 4900 K. The LED modules can be integrated into a tile covering, using the trapezoid perforated anchoring leg. The profiles are suitable for use in floor areas of residential spaces. Available length: 50 cm 100 cm 200 cm 250 cm Search terms: LIPROTEC, Schlüter, Schlueter, Schluter, LIPROTEC-EASY, LED profile, Bathroom, RGB, RGBW, Tile, Line of light, IP67, Shower, Floor, Fliese

Light output 1 (integrated)



Lamp type	LED	CCT	4537 K
Nominal lamp power	0.5 W	CRI	89
Total flux	27 lm	LOR	100%
Luminous efficacy	54 lm/W	Total power	0.5 W

Mounting mode

Wall recessed, Ceiling recessed, Floor recessed

Shape and measurements

Length: 3.94 in
Width: 0.47 in
Height: 0.43 in

Adjustability

Fixed

Design

Material impression: Aluminum, Plastic
Color of housing: White, Silver gray

Electric

System power: 0.5 W
Voltage: 24 V DC

Protection

IP: 67
Designation labels: CE

Other operating numbers

Ambient temperature range: -4...149°F