Product data sheet


SPY 52 ON 1 SOFT 93045 DIM8
19831 9038
DELTA LIGHT



IP 20 CE


Luminaire, ceiling surface mounted (indoor use) from Deltalight, named SPY 52 ON 1 SOFT 93045 DIM8, available in the colour(s): black-black, full white, white-white. This luminaire is equipped with LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm with build-in dimmable driver to operate on a voltage of 220-240V / 50-60Hz. Dimming protocol: mains (phase cut-off). Light distributor: reflector 45°.

Light output 1




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		




1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		



1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		



1 x LED

Nominal lamp power	6 W	LOR	73%
Lamp flux	623 lm	Total flux	453 lm
Luminous efficacy	104 lm/W	Total power	7 W
CCT	1800 K		
CRI	90		

Mounting mode

Ceiling mounted

Shape and measurements

Length: 2.36 in
Width: 7.48 in
Height: 0.79 in

Electric

System power: 7 W
Appliance Class: 0

Protection

IP: 20
Designation labels: CE