


Product data sheet

VL45 RADIOHUS PENDANT Ø370 LED 3000-1800 D2W 41W
91758-1001
LOUIS POULSEN



VL45 Radiohus Pendant Design: Vilhelm Lauritzen Concept: The fixture provides uniform, general and diffuse illumination. The opening at the bottom of the glass produces downwards directed light. The quality of the glass ensures that the fixture is evenly lit. Finish: Glossy white opal glass, brushed brass Material: Shade: Mouth-blown glossy white opal glass. Pendant tube: Brushed brass. Mounting: Cable Ø 250: 3x0,75mm². Ø 370: 3x1mm². Canopy: Yes. Cable length: 4.4m. Sizes and weights: Width x Height x Length (mm) 370 x 448 x 370 Max 4.1 kg 250 x 328 x 250 Max 2.0 kg 175 x 246 x 175 Max 1.3 kg Class: Ingress protection IP20. Electric shock protection I w. Ground

Light output 1 (integrated)



Lamp type	LED	CCT	3000 K
Nominal lamp power	41 W	CRI	90
Total flux	2763 lm	LOR	69%
Luminous efficacy	67 lm/W	Total power	41 W

Mounting mode

Pendant

Shape and measurements

Length: 14.57 in
Width: 14.57 in
Height: 17.64 in

Adjustability

Fixed

Electric

System power: 41 W
Appliance Class: I

Protection

IP: 20