

Product data sheet


EVA III
9.751.2152.00
LEIPZIGER LEUCHTEN




IP
55

For medium light requirements, mounting height 4.50 - 6.00 m. - Impact-resistant beaded polycarbonate attachment, UV-stabilized - Aluminium reflector finished in special white paint for max. light reflection - Corrosion-resistant cast aluminium unit carrier, painted - All electrical components on a block - Adapter jack for connection - Available in any RAL- or DB -colour without surcharge - For concrete pole with flange plate made of hot galvanized steel Voltage: 230V 50Hz Protected to: IP 55 Protection class: I/II Made to DIN VDE 0711

Light output 1



1 x High pressure sodium vapour lamp			
Nominal lamp power	50 W	LOR	83%
Lamp flux	3500 lm	ULOR	22%
Luminous efficacy	47 lm/W	Total flux	2920 lm
CCT	2000 K	Total power	62 W
CRI	25		



1 x High pressure sodium vapour lamp			
Nominal lamp power	70 W	LOR	83%
Lamp flux	5600 lm	ULOR	22%
Luminous efficacy	56 lm/W	Total flux	4671 lm
CCT	2000 K	Total power	83 W
CRI	25		

Mounting mode

Pole top mounted

Shape and measurements

Height: 17.72 in
Diameter: 15.75 in

Electric

System power: 62-83 W

Protection

IP: 55