

Product data sheet

SQING CENTRALIZED PENDANT BLACK 1380X1380MM
R54Z13Q-9005C1940L3S
PLANLICHT




IP 20

Light output 1 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 2 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 3 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 4 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 5 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 6 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 7 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 8 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 9 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 10 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 11 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 12 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 13 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 14 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 15 (integrated)



Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Light output 16 (integrated)



Lamp type	LED	CCT	4000 K
Nominal lamp power	3.09 W	CRI	90
Total flux	261 lm	LOR	100%
Luminous efficacy	84 lm/W	Total power	3.09 W

Mounting mode

Pendant

Shape and measurements

Length: 54.29 in
Width: 54.33 in
Height: 1.93 in

Adjustability

Fixed

Electric

System power: 49.5 W

Protection

IP: 20
Designation labels: CE