Product data sheet

PH 3/2 PENDANT E27 LED 2700K 7W 5741097513

LOUIS POULSEN








PH 3/2 Pendant Design: Poul Henningsen Concept: The fixture is designed based on the principle of a reflective three-shade system, which directs the majority of the light downwards. The shades are made of hand-blown opal three-layer glass, which is glossy on top and sandblasted matte on the underside, giving a soft and uniform light distribution. Finish: Black chrome plated or high lustre chrome plated. White opal glass. Finish: Black chrome plated or high lustre chrome plated. White opal glass. Material: Shades: Mouth-blown white opal glass. Suspension: Black chrome plated or high lustre chrome plated, brass. Mounting: Suspension type: Cable 3x0,75mm². Canopy: Yes. Cable length: 3m. Class: Ingress protection IP20. Electric shock protection I w. ground. Weight: Max. 1.5kg.

Light output 1



1 x LED			
Nominal lamp power	7 W	LOR	
Lamp flux	806 lm	ULOR	
Luminous efficacy	95 lm/W	Total flux	
CCT	2700 K	Total power	
CRI	80		

Mounting mode

Pendant

Shape and measurements

Height: 9.53 in Diameter: 11.42 in

Adjustability

Fixed

Electric

System power: 7 W Appliance Class: I

Protection

IP: 20

83% 16% 666 lm 7 W