


# Product data sheet

ICON 44 LED COMFORT F1T2  
4483X0XX  
PROLUMIA




Light Source: Philips LumiLEDs Luxeon TX Color temperature: 3000K / 4000K Color rendering index: Ra ≥ 75 Operating temperature: -30°C ~ +50°C Rated life hours: L90 > 100.000 hours LED driver (included): Meanwell / Philips Xitanium Input: 220-240V AC 50/60Hz Power factor: > 0,95

## Light output 1




### 1 x LED

Nominal lamp power	47 W	LOR	100%
Lamp flux	3400 lm	Total flux	3400 lm
Luminous efficacy	72 lm/W	Total power	47 W
CCT	3000 K		
CRI	80		




### 1 x LED

Nominal lamp power	70 W	LOR	100%
Lamp flux	4700 lm	Total flux	4700 lm
Luminous efficacy	67 lm/W	Total power	70 W
CCT	4000 K		
CRI	80		



### 1 x LED


Nominal lamp power	55 W	LOR	100%
Lamp flux	3900 lm	Total flux	3900 lm
Luminous efficacy	71 lm/W	Total power	55 W
CCT	4000 K		
CRI	80		



**1 x LED**

Nominal lamp power	70 W
Lamp flux	4700 lm
Luminous efficacy	67 lm/W
CCT	3000 K
CRI	80


LOR	100%
Total flux	4700 lm
Total power	70 W



**1 x LED**

Nominal lamp power	47 W
Lamp flux	3400 lm
Luminous efficacy	72 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3400 lm
Total power	47 W



**1 x LED**

Nominal lamp power	42 W
Lamp flux	3100 lm
Luminous efficacy	74 lm/W
CCT	4000 K
CRI	80


LOR	100%
Total flux	3100 lm
Total power	42 W



**1 x LED**

Nominal lamp power	42 W
Lamp flux	3100 lm
Luminous efficacy	74 lm/W
CCT	3000 K
CRI	80


LOR	100%
Total flux	3100 lm
Total power	42 W



**1 x LED**


Nominal lamp power	32 W
Lamp flux	2500 lm
Luminous efficacy	78 lm/W
CCT	4000 K
CRI	80

LOR	100%
Total flux	2500 lm
Total power	32 W



**1 x LED**

Nominal lamp power	32 W	LOR	100%
Lamp flux	2500 lm	Total flux	2500 lm
Luminous efficacy	78 lm/W	Total power	32 W
CCT	3000 K		
CRI	80		



**1 x LED**

Nominal lamp power	55 W	LOR	100%
Lamp flux	3900 lm	Total flux	3900 lm
Luminous efficacy	71 lm/W	Total power	55 W
CCT	3000 K		
CRI	80		

**Mounting mode**

Ceiling mounted, Pole top mounted

**Shape and measurements**

Length: 3.07 in

Width: 3.07 in

Height: 2.95 in

Weight: 0.55 kg

**Design**

Material impression: Aluminum, Plastic

Color of housing: White, Silver gray

**Electric**

System power: 32-70 W

Appliance Class: 0

**Protection**

IP: 66

IK: 08

Designation labels: CE

**Other operating numbers**

Ambient temperature range: 37...37°F