Product data sheet

LIPROTEC PLUG & PLAY LED-MODULE LLPM WW LLP110V4A1

SCHLÜTER-SYSTEMS








Schlüter-LIPROTEC-LLPM are plug-and-play LED modules made of a flexible, fully coated LED tube with homogeneous light distribution and an attachment profile made of stainless steel (V4A). The LED modules are available in the colour temperature 3000 K. The LED modules can be integrated into a tile covering, using the trapezoid perforated anchoring leg. The profiles are suitable for use in floor areas of residential spaces. Available length: 50 cm 100 cm 200 cm 250 cm Search terms: LIPROTEC, Schlüter, Schlueter, Schluter, LIPROTEC-EASY, LED profile, Bathroom, RGB, RGBW, Tile, Line of light, IP67, Shower, Floor, Fliese

Light output 1 (integrated)



Lamp type	LED	CCT	2752 K
Nominal lamp power	0.5 W	CRI	93
Total flux	22 lm	LOR	100%
Luminous efficacy	44 lm/W	Total power	0.5 W

Mounting mode

Wall recessed, Ceiling recessed, Floor recessed

Shape and measurements

Length: 3.94 in Width: 0.47 in Height: 0.43 in

Adjustability

Fixed

Design

Material impression: Aluminum, Plastic Color of housing: White, Silver gray

Electric

System power: 0.5 W Voltage: 24 V DC

Protection

IP: 67

Designation labels: CE

Other operating numbers

Ambient temperature range: -4...149°F