

# Product data sheet

IMAX II ROUND ADJUSTABLE LP 93012


24210 9310

DELTA LIGHT




Luminaire, ceiling recessed (indoor use) from Deltalight, named iMAX II ROUND ADJUSTABLE LP 93012, available in the colour(s): black, white. For recessed mounting, a round opening with a diameter of 98 mm is needed and a min. depth for recessing of 125 mm. This luminaire is equipped with LED array 5,8-8,6W / CRI>90 (R9: 52) / 3000K / 734-1018lm with an optional driver, suitable for currents of 350mA to 500mA. Light distributor: lens 12°.

## Light output 1




### 1 x LED

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 8 W      | LOR         | 73%    |
| Lamp flux          | 925 lm   | Total flux  | 673 lm |
| Luminous efficacy  | 116 lm/W | Total power | 8 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




### 1 x LED

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 9 W      | LOR         | 73%    |
| Lamp flux          | 1018 lm  | Total flux  | 741 lm |
| Luminous efficacy  | 113 lm/W | Total power | 9 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




### 1 x LED

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 8 W      | LOR         | 73%    |
| Lamp flux          | 925 lm   | Total flux  | 673 lm |
| Luminous efficacy  | 116 lm/W | Total power | 8 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 6 W      | LOR         | 73%    |
| Lamp flux          | 734 lm   | Total flux  | 534 lm |
| Luminous efficacy  | 122 lm/W | Total power | 6 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 9 W      | LOR         | 73%    |
| Lamp flux          | 1018 lm  | Total flux  | 741 lm |
| Luminous efficacy  | 113 lm/W | Total power | 9 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 6 W      | LOR         | 73%    |
| Lamp flux          | 734 lm   | Total flux  | 534 lm |
| Luminous efficacy  | 122 lm/W | Total power | 6 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 6 W      | LOR         | 73%    |
| Lamp flux          | 734 lm   | Total flux  | 534 lm |
| Luminous efficacy  | 122 lm/W | Total power | 6 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 9 W      | LOR         | 73%    |
| Lamp flux          | 1018 lm  | Total flux  | 741 lm |
| Luminous efficacy  | 113 lm/W | Total power | 9 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 8 W      | LOR         | 73%    |
| Lamp flux          | 925 lm   | Total flux  | 673 lm |
| Luminous efficacy  | 116 lm/W | Total power | 8 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 9 W      | LOR         | 73%    |
| Lamp flux          | 1018 lm  | Total flux  | 741 lm |
| Luminous efficacy  | 113 lm/W | Total power | 9 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 8 W      | LOR         | 73%    |
| Lamp flux          | 925 lm   | Total flux  | 673 lm |
| Luminous efficacy  | 116 lm/W | Total power | 8 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 6 W      | LOR         | 73%    |
| Lamp flux          | 734 lm   | Total flux  | 534 lm |
| Luminous efficacy  | 122 lm/W | Total power | 6 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |




**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 9 W      | LOR         | 73%    |
| Lamp flux          | 1018 lm  | Total flux  | 741 lm |
| Luminous efficacy  | 113 lm/W | Total power | 9 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |



**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 8 W      | LOR         | 73%    |
| Lamp flux          | 925 lm   | Total flux  | 673 lm |
| Luminous efficacy  | 116 lm/W | Total power | 8 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |



**1 x LED**

|                    |          |             |        |
|--------------------|----------|-------------|--------|
| Nominal lamp power | 6 W      | LOR         | 73%    |
| Lamp flux          | 734 lm   | Total flux  | 534 lm |
| Luminous efficacy  | 122 lm/W | Total power | 6 W    |
| CCT                | 3000 K   |             |        |
| CRI                | 90       |             |        |

**Mounting mode**

Ceiling recessed

**Shape and measurements**

Height: 0.08 in

Diameter: 4.17 in

Weight: 0.4 kg

**Electric**

System power: 6-9 W

Appliance Class: II

**Protection**

IP: 54

Designation labels: CE