


# Product data sheet

GEORG B  
9.880.0011.04  
LEIPZIGER LEUCHTEN




Decorative luminaire for lanes, driveways, terraces, gardens, and for night illumination and hazardous areas. - Impact-resistant opal polycarbonate/polyethylene attachment, UV-stabilized - Luminaire body made of aluminium, inside finished in white paint, outside painted in colour - Unit carrier made of aluminium, finished in white paint - Tubular bracket and base plate made of hot galvanized steel -Available in any RAL or DB colour without surcharge - Connects with built-in cable joint box 3 x 2.5 mm 2

## Light output 1



1 x High pressure mercury vapour lamp			
Nominal lamp power	50 W	LOR	85%
Lamp flux	2000 lm	ULOR	24%
Luminous efficacy	29 lm/W	Total flux	1710 lm
CCT	3400 K	Total power	59 W
CRI	54		



1 x High pressure mercury vapour lamp			
Nominal lamp power	80 W	LOR	85%
Lamp flux	4000 lm	ULOR	24%
Luminous efficacy	38 lm/W	Total flux	3420 lm
CCT	3400 K	Total power	89 W
CRI	54		

## Mounting mode

Standing / Bollard

## Electric

System power: 59-89 W

## Shape and measurements

Height: 19.69 in  
Diameter: 14.96 in