

# Product data sheet


PML WITH BRACKET NOVARA SL SINGLE 3000K  
12.12683.0VXXX  
HESS




IP  
65

Cast aluminium luminaire body. Luminaire enclosure made of single-pane safety glass. Inclination of the luminaire adjustable in increments: 0°, 10°, 20°, 30°, 40°. Cable protection hose made of stainless steel mesh. Including bracket made of steel, galvanised.


## Light output 1




|                    |          |             |         |
|--------------------|----------|-------------|---------|
| 1 x LED            |          |             |         |
| Nominal lamp power | 20 W     | LOR         | 100%    |
| Lamp flux          | 2653 lm  | ULOR        | 100%    |
| Luminous efficacy  | 133 lm/W | Total flux  | 2653 lm |
| CCT                | 3000 K   | Total power | 20 W    |
| CRI                | 80       |             |         |



|                    |          |             |         |
|--------------------|----------|-------------|---------|
| 1 x LED            |          |             |         |
| Nominal lamp power | 28 W     | LOR         | 100%    |
| Lamp flux          | 3299 lm  | ULOR        | 100%    |
| Luminous efficacy  | 118 lm/W | Total flux  | 3299 lm |
| CCT                | 3000 K   | Total power | 28 W    |
| CRI                | 80       |             |         |



|                    |          |             |         |
|--------------------|----------|-------------|---------|
| 1 x LED            |          |             |         |
| Nominal lamp power | 28 W     | LOR         | 100%    |
| Lamp flux          | 3043 lm  | ULOR        | 100%    |
| Luminous efficacy  | 109 lm/W | Total flux  | 3043 lm |
| CCT                | 3000 K   | Total power | 28 W    |
| CRI                | 80       |             |         |




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

28 W  
3166 lm  
113 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
3166 lm  
28 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

37 W  
5305 lm  
143 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
5305 lm  
37 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

37 W  
4961 lm  
134 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
4961 lm  
37 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

37 W  
6086 lm  
164 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
6086 lm  
37 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

37 W  
5303 lm  
143 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
5303 lm  
37 W


**1 x LED**

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

37 W  
4760 lm  
129 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
4760 lm  
37 W


**1 x LED**

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

53 W  
7057 lm  
133 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
7057 lm  
53 W


**1 x LED**

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

20 W  
3043 lm  
152 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
3043 lm  
20 W


**1 x LED**

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

53 W  
6086 lm  
115 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
6086 lm  
53 W


**1 x LED**

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

20 W  
2480 lm  
124 lm/W  
3000 K  
80

LOR  
ULOR  
Total flux  
Total power

100%  
100%  
2480 lm  
20 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

53 W  
6332 lm  
119 lm/W  
3000 K  
80

LOR 100%  
ULOR 100%  
Total flux 6332 lm  
Total power 53 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

53 W  
6597 lm  
124 lm/W  
3000 K  
80

LOR 100%  
ULOR 100%  
Total flux 6597 lm  
Total power 53 W




#### 1 x LED

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

20 W  
2381 lm  
119 lm/W  
3000 K  
80

LOR 100%  
ULOR 100%  
Total flux 2381 lm  
Total power 20 W




#### 1 x Novara SL 500mA 28W 3000K 01

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

28 W  
3528 lm  
126 lm/W  
3000 K  
80

LOR 100%  
ULOR 100%  
Total flux 3528 lm  
Total power 28 W



#### 1 x Novara SL 500mA 53W 3000K 06R

Nominal lamp power  
Lamp flux  
Luminous efficacy  
CCT  
CRI

53 W  
7053 lm  
133 lm/W  
3000 K  
80

LOR 100%  
ULOR 100%  
Total flux 7053 lm  
Total power 53 W

#### Mounting mode

Pole top mounted, Pole integrated

#### Shape and measurements

Length: 18.74 in

Width: 22.05 in

Height: 7.60 in

#### Electric

System power: 20-53 W

#### Protection

IP: 65

Adjustability

Tiltable