Product data sheet


SINUS P.THIRTY SUSP. 'Z' DI/ID SILVER SAT. 705MM
R30Z070-9006C2940L1S
PLANLICHT



IP 20


LED LO 4000K 41,9W 5408lm CRI90 https://katalog.planlicht.com/en-gb/fam-sinus-p-thirty/

Light output 1 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 2 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 3 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 4 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 5 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 6 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 7 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 8 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 9 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 10 (integrated)




Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 11 (integrated)



Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Light output 12 (integrated)



Lamp type	LED	CCT	4000 K
Nominal lamp power	3.49 W	CRI	90
Total flux	451 lm	LOR	100%
Luminous efficacy	129 lm/W	Total power	3.49 W

Mounting mode

Pendant

Shape and measurements

Length: 27.72 in
Width: 27.72 in
Height: 1.38 in

Adjustability

Fixed

Electric

System power: 41.9 W

Protection

IP: 20