# Product data sheet


P.THIRTY RECESSED T-SEG.HOR. SILVER OBD
P30-ETFH9006C1940H1G
PLANLICHT



IP 20


LED HO 4000K 16,7W 1302lm CRI90 https://katalog.planlicht.com/en-gb/search?q=p.thirty&type=1-profile-segment

## Light output 1 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

## Light output 2 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

## Light output 3 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

### Light output 4 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

### Light output 5 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

### Light output 6 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

### Light output 7 (integrated)



| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

Light output 8 (integrated)



| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 4000 K |
| Nominal lamp power | 2.09 W | CRI | 90 |
| Total flux | 163 lm | LOR | 100% |
| Luminous efficacy | 78 lm/W | Total power | 2.09 W |

### Mounting mode

Ceiling recessed

### Shape and measurements

Length: 8.46 in
Width: 28.43 in
Height: 1.38 in

### Adjustability

Fixed

### Electric

System power: 16.7 W

### Protection

IP: 20
Designation labels: CE