


Product data sheet

MOVE AROUND INDIRECT CHROME/POL
KM15-0
TOBIAS GRAU




KM15-0 MOVE ist kurz, lang oder rund; immer fließend, organisch schön und irgendwie auch unbeschreiblich. Gefüllt ist sie mit neuesten brillant warm leuchtenden LEDs, deren Licht durch optische Linsen optimal entblendet wird. Fassung / Leuchtmittel LED Montageart Abhängung Lichtaustritt indirekt Lichtverteilung symmetrisch Leuchtenbetriebswirkungsgrad 100 % Lichtstrom (gesamt) 3380 lm Farbtemperatur 2700 K CRI (Ra) >90 Weißindruck warm white Oberfläche verchromt Werkstoff des Gehäuses Zinkdruckguss Nennspannung von/bis 220-240 V Netzfrequenz 50/60 Hz Leistungsaufnahme 50 W Betriebsgerät Treiber Betriebsgerät enthalten Ja Schutzklasse I Dimmbar Ja Art der Dimmung Phasenabschnitt (elektronisch) Durchmesser 700 mm Pendellänge von/bis -/2000 mm Nettogewicht 0,00 kg Bruttogewicht 0,00 kg Brandschutz "F" Ja Energieeffizienz A - A++

Light output 1 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 2 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 3 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 4 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 5 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 6 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 7 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 8 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 9 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 10 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 11 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 12 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 13 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 14 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 15 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 16 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 17 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 18 (integrated)




Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 19 (integrated)



Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Light output 20 (integrated)



Lamp type	LED	CCT	2689 K
Nominal lamp power	2.5 W	CRI	93
Total flux	169 lm	LOR	100%
Luminous efficacy	68 lm/W	Total power	2.5 W

Mounting mode

Pendant

Shape and measurements

Length: 27.24 in

Width: 27.24 in

Height: 1.23 in

Adjustability

Height adjustable

Electric

System power: 50 W

Appliance Class: I

Protection

IP: 20