



Product data sheet

OVOID50MUTE
OV5MH-119271-LXXXM
EGLO




pendant mounted direct LED luminaire;

Light output 1 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 2 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 3 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 4 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 5 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 6 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 7 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 8 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 9 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 10 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 11 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 12 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 13 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 14 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 15 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 16 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 17 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 18 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 19 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 20 (integrated)




Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 21 (integrated)



Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Light output 22 (integrated)



Lamp type	LED	CCT	2700 K
Nominal lamp power	1.48 W	CRI	90
Total flux	142 lm	LOR	100%
Luminous efficacy	96 lm/W	Total power	1.48 W

Mounting mode

Pendant

Shape and measurements

Length: 33.46 in
Width: 45.67 in
Height: 3.19 in

Adjustability

Fixed

Electric

System power: 32.56 W

Protection

IP: 20
Designation labels: CE