
# Product data sheet


QUADRO.QUIET GREEN SUSP. ANTHR./SW L DI/ID VDT
T6GH34X-QASWC2930L3P
PLANLICHT



IP 20


LED LO 3000K 91W 10619lm DALI CRI90 https://katalog.planlicht.com/en-gb/fam-quadro/

## Light output 1 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

## Light output 2 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

## Light output 3 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

### Light output 4 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

### Light output 5 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

### Light output 6 (integrated)




| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

### Light output 7 (integrated)



| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

Light output 8 (integrated)



| | | | |
|---|---|---|---|
| Lamp type | LED | CCT | 3000 K |
| Nominal lamp power | 11.38 W | CRI | 90 |
| Total flux | 1327 lm | LOR | 100% |
| Luminous efficacy | 117 lm/W | ULOR | 34% |
| | | Total power | 11.38 W |

### Mounting mode

Pendant

### Shape and measurements

Length: 26.38 in
Width: 136.46 in
Height: 2.60 in

### Adjustability

Fixed

### Electric

System power: 91 W

### Protection

IP: 20