Product data sheet


MORITZ III (1-ARMED) 9.117.2036.03 LEIPZIGER LEUCHTEN





Mounting height 8.00 m, for medium and high light requirements. - Luminaire made of cast aluminium, varnished - Superior lighting due to computer-optimised reflector system for sodium vapour high pressure discharge with clear glass tube bulb - Cover of single-pane safety glass, hinged - Cable protection hosing made of braided stainless steel - All electrical parts fitted - Available in any required RAL or DB colour without extra price - Pole arm with guying and mounting clip, hot-dip galvanised steel, including varnished conical pole for 8.00 m mounting height are part of the delivery - Other heights on request Voltage: 230V 50Hz Protected to: IP 55 Protection class: I/II Made to DIN VDE 0711 Luminaires generally compensated

Light output 1



1 x High pressure sodium vapour lamp

5 1			
Nominal lamp power	50 W	LOR	80%
Lamp flux	4200 lm	Total flux	3340 lm
Luminous efficacy	51 lm/W	Total power	66 W
CCT	2000 K		
CRI	25		

4	474	444	+
			\rightarrow
	T SVI	T X T	*
27	$\times \Lambda$	1X	74
\sim	M	TY	\times .
\times	\mathcal{A}	TY	\times
\sim	\sim		\bigcirc
\checkmark			V
$\langle -$			1

1 x High pressure sodium vapour lamp

Nominal lamp power	70 W	LOR	80%
Lamp flux	6600 lm	Total flux	5249 lm
Luminous efficacy	63 lm/W	Total power	83 W
CCT	2000 K		
CRI	25		

Mounting mode	Electric
Pole top mounted	System power: 66-83 W
Shape and measurements	Protection
Length: 21.26 in	IP: 55
Width: 21.26 in	

Height: 6.89 in